# Adding a resource

To provide access to the resource to the directory users, you have to add a new resource to the Indeed PAM.

- 1. Switch to **Resources** section and click **Add**.
- 2. Fill in the **Resource name, DNS name/IP Address** and **Description** fields.

For Windows resources, you shold specify the real computer name.

When specifying an IP address make sure it is static.

## User connection setup

For each resource, you need to configure a custom connection that will be used to open a session on the resource.

## **RDP** connection setup

- Select **RDP** Connection type
- If the connection address is different from the DNS name/IP address, specify it by selecting the appropriate checkbox
- Enter the **Port** if it is not the default

If you need to open a session with the  $\tt mstsc \ /admin$  parameter, enable the  $Run \, as \, administrator \,$  option

User connection	×
Connection type	
RDP	~
Connection address	
Win2019.indeed-id.local	
Use another connection address	
Port	
3389	
Run as administrator	
Back	ext

#### SSH connection setup

- Select SSH Connection type
- If the connection address is different from the DNS name/IP address, specify it by selecting the appropriate checkbox
- Enter the **Port** if it is not the default

User connection	×
Connection type	
SSH	~
Connection address	
server05.indeed-id.local	
Use another connection address	
Port	
22	

## User connection setup

In Indeed PAM, RDP and SSH connections are standard. Other connection types, for example, a web session or connection to a DBMS, are configured separately for each target application. Below we will consider examples of configuring a connection to the web console Citrix NetScaler and MS SQL Managemet Studio. After Indeed PAM installation, these types of connections will not be in the list of connections. To create a new connection type, you need to contact Indeed technical support.

#### Web session setup

- Select Citrix NetScaler Connection type
- Fill in **URL** of web application
- Fill in Sign-in page URL of web application if different

User connection	×
Connection type	
Citrix NetScaler	~
URL	
server05.indeed-id.local	
Use another connection address	
Sign-in page URL	
https:///192/.168/.10/.102/login.*	
✓ Regular expression	
Back	Next

If the **Sign-in page URL** may not match the specified value after accessing it, then enable the **Regul ar expression** option, the option allows you to specify an expression that will match any address value.

## **DBMS** connection setup

- Select MS SQL Management Studio connection type
- If the MS SQL Server instance connection address is different from the DNS name/IP address, specify it by selecting the appropriate checkbox
- Enter the **Port** if necessary

User connection	×
Connection type	
MS SQL Management Studio	~
Connection address	
sqlsrv1.indeed-id.local	
Use another connection address Port	
Port	
	Back Next

## Service connection setup

This article will not consider setting up a service connection, a detailed description of the configuration process is available in the article Setting up a service connection for resources.

- Disable the Use connector for service connection option
  Complete the adding resource